

In this 7-day itinerary, we will visit two of the best and well-known European wildlife destinations: Extremadura and Coto de Doñana. In addition, we will spend one day making the most of the bird migration from Tarifa, the most important flyway between Africa and Western Europe.

A birding visit to Extremadura in early spring offers an excellent opportunity to explore this wonderful region for birds, orchids, and butterflies. In addition, temperatures are lovely in April.

During our 3-night stay in Extremadura, we will be located in the medieval town of Trujillo, where we will search for Great and Little Bustard in the nearby steppes.

In Coto de Doñana, we will be based in the quaint village of El Rocío. With its sandy streets, the town looks like a film set in a spaghetti western. This is a place like no other in Western Europe.

Flights

The arrival and departure will be from Málaga airport.

Food

All are included in the price from lunch on day 1 to breakfast on day 7. In Extremadura, dinner will be in a restaurant in the medieval town of Trujillo, and it will consist of traditional Spanish meals (starter, main course, and dessert) with local wine. The rural hotel or the local guide will prepare our picnic lunch every day.

In Doñana, dinner will be in a local restaurant placed right in front of the marshes, so bring your bins! In Tarifa, dinner will be in the hotel.

Accommodations

We will stay in a beautifully restored, comfortable hotel in delightful surroundings. All rooms are provided with private facilities.



Cost

1550 € per person in a double room (180 € single supplement). Minimum four guests and maximum of seven guests.

Guiding, accommodation, transfer, and meals are included. Wine is included in the restaurants except for the first night in Tarifa.

Itinerary

Day 1. Tuesday, April 2. Arrival Málaga airport – Tarifa (1 h 50 min)

Welcome to Málaga airport, then transfer directly to our accommodation in Tarifa. We will spend the rest of the day looking for bird migrants at the watchpoints. Some of the species we might get today include both species of Storks, Booted and Short-toed Eagles, European Honey Buzzard, Goshawk, and maybe Montagu's harrier.

Day 2. Wednesday, April 3. Tarifa-El Rocio (Doñana)



We will make several stops around Tarifa, and on our way to Doñana National Park, looking for unique birds like the rare Bald Ibis, Slender-bill, and Audouin's Gull, among others. We will also spend some time looking for Little Swifts, White-headed Ducks, and a good

number of raptors, including the Spanish Imperial Eagle. During the afternoon, we will walk the surroundings of the beautiful town of el Rocío. The marshes of El Rocío hold a nice variety of wildfowl as well as Greater Flamingos, Red-Knobbed Coots, and warblers which include Great-reed and Savi's warbler. In addition, Squacco Heron, Purple Heron, and Marbled teals might be seen in the marshes. Accommodation in el Rocio.



Day 3. Tuesday, April 4. North area of Doñana



Today will be birding in the heart of the park. We will have to drive around tracks to get to this isolated area, but all this effort will pay off with stunning birds. We should see a nice variety of Larks, including Shorttoed and Calandra. We will also see Collared Pratincole, Black-winged Kites, Whiskered Terns, and Black Storks, among other birds.

Furthermore, we will visit a few nature reserves where usually Whiteheaded Duck, Marbled Teals, Ferruginous Duck, and Red-crested Pochard are found. The accommodation in el Rocio.



Day 4. Friday, April 5. El Rocio-Trujillo



After early breakfast, we will load the minibus and set off towards Trujillo. The transfer will take a bit more than 3 hours, but we will make some stops on the way to add Alpine Swifts, Rock Buntings and some species of raptors. The rest of the day will be spent in the steppes looking for Great Bustards (the world's



heaviest flying bird) and different species of warblers (Sardinian, Subalpine, and Melodious), and the stunning and colorful Bee-eaters, and Rollers, etc. The Extremadura Steppes are some of the richest and least disturbed grassland habitats in Europe and hold a significant number of bird specialties. Accommodation and dinner in Trujillo.

Day 5. Saturday, April 6 Monfragüe National Park





Monfragüe is a beautiful area packed with raptors. We will take a walk to the top of the castle for an eye-to-eye view of soaring raptors. From this high vantage point, you usually can see a nice variety of raptor species as well as Black Storks as they take advantage of the thermals, а truly breathtaking sight! We will stop in some specific places to look for top raptor species such as Spanish Imperial Eagle, Black Vulture, Egyptian Vulture, and the scarce Bonelli's Eagle, among other species. Along the rivers and dams, we shall keep an eye out for otters, and in the forest, we will look for Iberian Magpies, Woodlarks, Firecrest, and Lesser Spotted Woodpecker. We will also

keep an eye on Alpine and Pallid Swifts. Accommodation near Trujillo. Dinner in the Trujillo.

Day 6. Sunday, April 7. The steppes

Around these well-preserved steppes, we will look for Stone Curlews, and Thekla Larks. Spanish Sparrows are common, as well as Corn Buntings and Hoopoes. We might find other species in this habitat, such as Black-bellied and Pin-tailed Sandgrouses, Iberian Grey and Woodchat Shrikes, Little Owl, Spotless Starlings, and Red-rumped Swallow. We will also visit the Lesser kestrel and Pallid Swifts colonies. In addition, we might see some amphibians and reptiles in good weather conditions, such as Stripeless Tree Frog, Spanish Terrapin, and Large Psammodromus. Accommodation and dinner in Trujillo.



Day 7. Sunday, March 8 Transfer to Málaga airport

Sadly, this will be the last day of the birding trip to two of the top wildlife destinations in Europe. Your guide will take you to Málaga airport.

Birdwatching Spain - Extremadura and Doñana April 2023

| | | • | | | | | | | |
|----|-----------------------------|-----------------------------|------------|------------|------------|------------|------------|------------|------------|
| | Anseriformes: Anatidae | | April 11th | April 12th | April 13th | April 14th | April 15th | April 16th | April 17th |
| 1 | Garganey | Spatula querquedula | | | X | | | | |
| | Northern Shoveler | Spatula clypeata | | x | х | x | | | |
| 3 | Gadwall | Mareca strepera | | | х | | | | |
| 4 | Mallard | Anas platyrhynchos | | х | х | х | х | х | |
| 5 | Shelduck | Tadorna tadorna | | х | | | | | |
| 6 | Green-winged Teal | Anas crecca | | | х | | | | |
| 7 | Marbled Teal | Marmaronetta angustirostris | | | х | | | | |
| 8 | Red-crested Pochard | Netta rufina | | х | | | | | |
| 9 | Common Pochard | Aythya ferina | | х | | | | | |
| 10 | Greylag | Anser anser | | | х | | | | |
| 11 | White-headed Duck | Oxyura leucocephala | | х | | | | | |
| | Galliformes: Phasianidae | | | | | | | | |
| 12 | Common Quail | Coturnix coturnix | | | | | | | |
| 13 | Red-legged Partridge | Alectoris rufa | | | | | х | х | |
| | Phoenicopteriformes | | | | | | | | |
| 14 | Greater Flamingo | Phoenicopterus roseus | | х | х | х | | | |
| 15 | Little Grebe | Tachybaptus ruficollis | | х | х | | х | | |
| 16 | Great Crested Grebe | Podiceps cristatus | | | | х | | | |
| 17 | Black-necked Grebe | Podiceps nigricollis | | | | | | | |
| | Columbiformes: Columbidae | | | | | | | | |
| 18 | Rock Pigeon | Columba livia | х | х | х | х | х | х | |
| 19 | Stock Dove | Columba oenas | | | | | | | |
| 20 | Common Wood-Pigeon | Columba palumbus | | | | х | х | | |
| 21 | European Turtle-Dove | Streptopelia turtur | | | | | | | |
| 22 | Eurasian Collared-Dove | Streptopelia decaocto | х | х | х | х | х | х | |
| | Pterocliformes: Pteroclidae | | | | | | | | |
| | Pin-tailed Sandgrouse | Pterocles alchata | | | | | | | |
| 24 | Black-bellied Sandgrouse | Pterocles orientalis | | | | | | | |
| | Otidiformes: Otididae | | | | | | | | |

| 25 | Great Bustard | Otis tarda | | | | | | х | Х |
|----|-----------------------------------|-------------------------|---|---|---|---|---|---|---|
| 26 | Little Bustard | Tetrax tetrax | | | | х | | х | |
| | Cuculiformes: Cuculidae | | | | | | | | |
| 27 | Great Spotted Cuckoo | Clamator glandarius | | | | | | | |
| 28 | Common Cuckoo | Cuculus canorus | | | | | | | |
| | Caprimulgiformes: Caprimulgidae | | | | | | | | |
| 29 | Red-necked Nightjar | Caprimulgus ruficollis | | | | | | | |
| 30 | Eurasian Nightjar | Caprimulgus europaeus | | | | | | | |
| | Caprimulgiformes: Apodidae | | | | | | | | |
| 31 | Alpine Swift | Apus melba | | | | х | х | | |
| 32 | Common Swift | Apus apus | х | х | х | | х | | |
| 33 | Pallid Swift | Apus pallidus | | | х | | х | | |
| 34 | Little Swift | Apus affinis | | х | | | | | |
| | Gruiformes: Rallidae | | | | | | | | |
| 35 | Water Rail | Rallus aquaticus | | | | | Х | | |
| 36 | Eurasian Moorhen | Gallinula chloropus | | х | х | х | х | | |
| 37 | Eurasian Coot | Fulica atra | | х | х | х | х | х | |
| 38 | Red-knobbed Coot | Fulica cristata | | | | | | | |
| 39 | Western Swamphen | Porphyrio porphyrio | | | х | | х | | |
| | Charadriiformes: Burhinidae | | | | | | | | |
| 40 | Stone Curlew | Burhinus oedicnemus | | | | | | | |
| | Charadriiformes: Recurvirostridae | | | | | | | | |
| 41 | Black-winged Stilt | Himantopus himantopus | | x | х | х | | | |
| 42 | Pied Avocet | Recurvirostra avosetta | | x | х | | | | |
| | Charadriiformes: Charadriidae | | | | | | | | |
| 43 | Kentish Plover | Charadrius alexandrinus | х | х | | | | | |
| 44 | Common Ringed Plover | Charadrius hiaticula | х | x | х | х | | | |
| 45 | Little Ringed Plover | Charadrius dubius | | x | х | х | | | |
| | Charadriiformes: Scolopacidae | | | | | | | | |
| 46 | Whimbrel | Numenius phaeopus | | | | | | | |
| 47 | Eurasian Curlew | Numenius arquata | | | | | | | |
| 48 | Bar-tailed Godwit | Limosa lapponica | | | | | | | |
| 49 | Black-tailed Godwit | Limosa limosa | | | х | х | | | |

| 50 | Ruddy Turnstone | Arenaria interpres | 7 | | | | | |
|----|-------------------------------|----------------------------|---|---|---|---|---|--|
| 51 | Red Knot | Calidris canutus | | | | | | |
| | Charadriiformes: Scolopacidae | | | | | | | |
| 52 | Ruff | Calidris pugnax | | | х | | | |
| 53 | Curlew Sandpiper | Calidris ferruginea | | | Х | | | |
| 54 | Temminck's Stint | Calidris temminckii | | | Х | х | | |
| 55 | Sanderling | Calidris alba | х | х | | | | |
| 56 | Dunlin | Calidris alpina | х | х | Х | х | | |
| 57 | Little Stint | Calidris minuta | | х | Х | х | | |
| 58 | Common Snipe | Gallinago gallinago | | | | | | |
| 59 | Common Sandpiper | Actitis hypoleucos | | | х | х | х | |
| 60 | Green Sandpiper | Tringa ochropus | | | | | | |
| 61 | Spotted Redshank | Tringa erythropus | | | | | | |
| 62 | Common Greenshank | Tringa nebularia | | | х | | | |
| 63 | Wood Sandpiper | Tringa glareola | | | х | | | |
| 64 | Common Redshank | Tringa totanus | х | | | | | |
| | Charadriiformes: Glareolidae | | | | | | | |
| 65 | Collared Pratincole | Glareola pratincola | | х | х | х | | |
| | Charadriiformes: Laridae | | | | | | | |
| 66 | Slender-billed Gull | Chroicocephalus genei | | х | | | | |
| 67 | Black-headed Gull | Chroicocephalus ridibundus | х | | | | | |
| 68 | Mediterranean Gull | Ichthyaetus melanocephalus | | | | | | |
| 69 | Audouin's Gull | Ichthyaetus audouinii | х | | | | | |
| | Yellow-legged Gull | Larus michahellis | х | х | | | | |
| 71 | Lesser Black-backed Gull | Larus fuscus | | | | | | |
| 72 | Little Tern | Sternula albifrons | | х | | | | |
| 73 | Gull-billed Tern | Gelochelidon nilotica | | | | х | х | |
| 74 | Black Tern | Chlidonias niger | | | | | | |
| 75 | Whiskered Tern | Chlidonias hybrida | | | х | | | |
| | Common Tern | Sterna hirundo | | | | | | |
| 77 | Sandwich Tern | Thalasseus sandvicensis | х | | | | | |
| | Ciconiiformes: Ciconiidae | | | | | | | |
| 78 | Black Stork | Ciconia nigra | | | | | х | |

| 79 | White Stork | Ciconia ciconia | | х | х | х | х | х | |
|-----|-----------------------------------|-----------------------|---|---|---|---|---|---|---|
| | Suliformes: Phalacrocoracidae | | | | | | | | |
| 80 | Great Cormorant | Phalacrocorax carbo | | | | х | | | |
| 81 | European Shag | Gulosus aristotelis | | | | | | | |
| | Pelecaniformes: Ardeidae | | | | | | | | |
| 82 | Little Bittern | Ixobrychus minutus | | | | | | | |
| 83 | Gray Heron | Ardea cinerea | | | х | х | х | х | |
| 84 | Purple Heron | Ardea purpurea | | | х | х | х | | |
| 85 | Great Egret | Ardea alba | | | х | х | | | |
| 86 | Little Egret | Egretta garzetta | х | х | х | х | | | |
| 87 | Cattle Egret | Bubulcus ibis | х | х | х | х | х | | |
| 88 | Squacco Heron | Ardeola ralloides | | | | | | | |
| 89 | Black-crowned Night-Heron | Nycticorax nycticorax | | | х | | | | |
| | Pelecaniformes: Threskiornithidae | | | | | | | | |
| 90 | Glossy Ibis | Plegadis falcinellus | | х | х | х | | | |
| 91 | Northern Bald Ibis | Geronticus eremita | | х | | | | | |
| 92 | Eurasian Spoonbill | Platalea leucorodia | | х | х | х | | | |
| | Accipitriformes: Pandionidae | | | | | | | | |
| 93 | Osprey | Pandion haliaetus | | | | | | | |
| | Accipitriformes: Accipitridae | | | | | | | | |
| 94 | Black-winged Kite | Elanus caeruleus | | | | | х | | |
| 95 | Egyptian Vulture | Neophron percnopterus | | | | х | | | |
| 96 | European Honey-buzzard | Pernis apivorus | | | | | | | |
| 97 | Cinereous Vulture | Aegypius monachus | | | | х | х | х | х |
| | Eurasian Griffon | Gyps fulvus | | х | | х | х | х | х |
| 99 | Short-toed Snake-Eagle | Circaetus gallicus | | х | х | х | х | х | |
| | Booted Eagle | Hieraaetus pennatus | | | х | | | х | х |
| 101 | Spanish Eagle | Aquila adalberti | | | | | х | | |
| 102 | Golden Eagle | Aquila chrysaetos | | | | | | | |
| | Bonelli's Eagle | Aquila fasciata | | | | | х | | |
| 104 | Eurasian Marsh-Harrier | Circus aeruginosus | | х | х | х | х | х | |
| | Hen Harrier | Circus cyaneus | | | | | | | |
| 106 | Montagu's Harrier | Circus pygargus | | | | | | х | |

| | | | | | | | - | - | - |
|-----|-------------------------------|---------------------|---|---|---|---|---|---|---|
| | Eurasian Sparrowhawk | Accipiter nisus | | Х | | | | | |
| | Northern Goshawk | Accipiter gentilis | | | | | | | |
| | Red Kite | Milvus milvus | | | | | | х | |
| 110 | Black Kite | Milvus migrans | | х | х | х | х | х | х |
| 111 | Common Buzzard | Buteo buteo | | | х | х | х | х | |
| | Strigiformes: Tytonidae | | | | | | | | |
| 112 | Barn Owl | Tyto alba | | | | | | | |
| | Strigiformes: Strigidae | | | | | | | | |
| 113 | Eurasian Scops-Owl | Otus scops | | | | | | | |
| | Strigiformes: Strigidae | | | | | | | | |
| 114 | Little Owl | Athene noctua | | | | | | х | |
| 115 | Tawny Owl | Strix aluco | | | | | | | |
| | Bucerotiformes: Upupidae | | | | | | | | |
| 116 | Eurasian Hoopoe | Upupa epops | | х | х | х | | х | |
| | Coraciiformes: Alcedinidae | | | | | | | | |
| 117 | Common Kingfisher | Alcedo atthis | | | | | | | |
| | Coraciiformes: Meropidae | | | | | | | | |
| 118 | European Bee-eater | Merops apiaster | | х | х | х | х | х | |
| | Coraciiformes: Coraciidae | | | | | | | | |
| 119 | European Roller | Coracias garrulus | | | | х | | х | |
| | Piciformes: Picidae | | | | | | | | |
| 120 | Eurasian Wryneck | Jynx torquilla | | | | | | | |
| 121 | Great Spotted Woodpecker | Dendrocopos major | | | | | | | |
| 122 | Lesser Spotted Woodpecker | Dryobates minor | | | | | | | |
| 123 | Iberian Green Woodpecker | Picus sharpei | | | | | | | |
| | Falconiformes: Falconidae | | | | | | | | |
| 124 | Lesser Kestrel | Falco naumanni | | | Х | х | х | х | |
| 125 | Eurasian Kestrel | Falco tinnunculus | | х | Х | х | Х | х | |
| 126 | Eurasian Hobby | Falco subbuteo | | | | | | | |
| 127 | Peregrine Falcon | Falco peregrinus | | х | | | | | |
| | Psittaciformes: Psittaculidae | | | | | | | | |
| 128 | Rose-ringed Parakeet | Psittacula krameri | | | | | | | |
| 129 | Monk Parakeet | Myiopsitta monachus | x | | | | | | |

| | Passeriformes: Oriolidae | | | | | | | | |
|-----|-------------------------------|---------------------------|---|---|---|---|---|---|---|
| 130 | Eurasian Golden Oriole | Oriolus oriolus | | | | | | | |
| | Passeriformes: Laniidae | | | | | | | | |
| 131 | Iberian Gray Shrike | Lanius meridionalis | | | | х | | х | |
| 132 | Woodchat Shrike | Lanius senator | х | | х | | х | х | |
| | Passeriformes: Corvidae | | | | | | | | |
| 133 | Eurasian Jay | Garrulus glandarius | | | | | | | |
| 134 | Iberian Magpie | Cyanopica cooki | | | | х | х | х | |
| 135 | Eurasian Magpie | Pica pica | Х | х | Х | х | х | х | х |
| 136 | Red-billed Chough | Pyrrhocorax pyrrhocorax | | | | | | | |
| 137 | Eurasian Jackdaw | Corvus monedula | | х | х | х | | х | |
| 138 | Carrion Crow | Corvus corone | | | | | | | |
| 139 | Common Raven | Corvus corax | | | | х | | х | |
| | Passeriformes: Paridae | | | | | | | | |
| 140 | Coal Tit | Periparus ater | | | | | | | |
| 141 | Crested Tit | Lophophanes cristatus | | | | | | | |
| 142 | Eurasian Blue Tit | Cyanistes caeruleus | | | | | | х | |
| 143 | Great Tit | Parus major | | | | | х | х | |
| | Passeriformes: Remizidae | | | | | | | | |
| 144 | Eurasian Penduline-Tit | Remiz pendulinus | | | | | | | |
| | Passeriformes: Alaudidae | | | | | | | | |
| 145 | Greater Short-toed Lark | Calandrella brachydactyla | | х | | х | | | |
| 146 | Calandra Lark | Melanocorypha calandra | | | | х | | х | х |
| 147 | Mediterranean Short-toed Lark | Alaudala rufescens | | х | | | | | |
| | Wood Lark | Lullula arborea | | | | | | | |
| | Eurasian Skylark | Alauda arvensis | | | | | | | |
| 150 | Thekla's Lark | Galerida theklae | | | | х | х | х | |
| 151 | Crested Lark | Galerida cristata | х | х | | х | х | | x |
| | Passeriformes: Cisticolidae | | | | | | | | |
| - | Zitting Cisticola | Cisticola juncidis | х | х | х | х | х | х | х |
| | Passeriformes: Acrocephalidae | | | | | | | | |
| 153 | Western Olivaceous Warbler | Iduna opaca | | | | | | | |
| 154 | Melodious Warbler | Hippolais polyglotta | | | | | | | |

| 155 | Sedge Warbler | Acrocephalus schoenobaenus | | | x | | | | |
|-----|-------------------------------|----------------------------|---|---|---|---|---|---|---|
| _ | Common Reed Warbler | Acrocephalus scirpaceus | | | x | | х | | |
| 157 | Great Reed Warbler | Acrocephalus arundinaceus | | | x | | х | | |
| | Passeriformes: Locustellidae | | | | | | | | |
| 158 | Savi's Warbler | Locustella luscinioides | | | | | х | | |
| 159 | Common Grasshopper Warbler | Locustella naevia | | | | | | | |
| | Passeriformes: Hirundinidae | | | | | | | | |
| 160 | Sand Martín | Riparia riparia | | | | х | | | |
| 161 | Eurasian Crag-Martin | Ptyonoprogne rupestris | | | | х | х | х | |
| 162 | Barn Swallow | Hirundo rustica | х | х | х | х | х | х | х |
| 163 | Red-rumped Swallow | Cecropis daurica | х | | | х | х | х | |
| 164 | Common House-Martin | Delichon urbicum | х | х | х | х | Х | х | x |
| | Passeriformes: Phylloscopidae | | | | | | | | |
| 165 | Western Bonelli's Warbler | Phylloscopus bonelli | | | | | | | |
| 166 | Willow Warbler | Phylloscopus trochilus | | | | | | | |
| 167 | Common Chiffchaff | Phylloscopus collybita | | | | | | | |
| 168 | Iberian Chiffchaff | Phylloscopus ibericus | | | | | | | |
| | Passeriformes: Scotocercidae | | | | | | | | |
| 169 | Cetti's Warbler | Cettia cetti | | | | | Х | х | |
| | Passeriformes: Aegithalidae | | | | | | | | |
| 170 | Long-tailed Tit | Aegithalos caudatus | | | | | | | |
| | Passeriformes: Sylviidae | | | | | | | | |
| 171 | Eurasian Blackcap | Sylvia atricapilla | х | | х | х | | | |
| 172 | Garden Warbler | Sylvia borin | | | | | | | |
| | Western Orphean Warbler | Curruca hortensis | | | | | | | |
| | Sardinian Warbler | Curruca melanocephala | х | | | | | | |
| | Western Subalpine Warbler | Curruca iberiae | | | | | х | | |
| 176 | Greater Whitethroat | Curruca communis | | | | | | | |
| 177 | Spectacled Warbler | Curruca conspicillata | | | | | | | |
| | Dartford Warbler | Curruca undata | | | | | х | | |
| | Passeriformes: Regulidae | | | | | | | | |
| 178 | Common Firecrest | Regulus ignicapilla | | | | | | | |
| | Passeriformes: Tichodromidae | | | | | | | | |

| 179 | Wallcreeper | Tichodroma muraria | | | | | | | |
|-----|------------------------------|-------------------------|---|---|---|---|---|---|---|
| | Passeriformes: Sittidae | | | | | | | | |
| 180 | Eurasian Nuthatch | Sitta europaea | | | | | | | |
| | Passeriformes: Certhiidae | | | | | | | | |
| 181 | Short-toed Treecreeper | Certhia brachydactyla | | | | | | | |
| | Passeriformes: Troglodytidae | | | | | | | | |
| 182 | Eurasian Wren | Troglodytes troglodytes | | | | | х | | |
| | Passeriformes: Sturnidae | | | | | | | | |
| 183 | European Starling | Sturnus vulgaris | | | | | | | |
| 184 | Spotless Starling | Sturnus unicolor | х | х | х | х | х | х | х |
| | Passeriformes: Turdidae | | | | | | | | |
| 185 | Mistle Thrush | Turdus viscivorus | | | | | | | |
| 186 | Song Thrush | Turdus philomelos | | | | | | | |
| 187 | Redwing | Turdus iliacus | | | | | | | |
| 188 | Eurasian Blackbird | Turdus merula | х | | х | х | х | х | х |
| | Passeriformes: Muscicapidae | | | | | | | | |
| 189 | Spotted Flycatcher | Muscicapa striata | | | | | | | |
| 190 | European Robin | Erithacus rubecula | | | | | | | |
| 191 | Common Nightingale | Luscinia megarhynchos | | h | h | | | | |
| 192 | European Pied Flycatcher | Ficedula hypoleuca | | | | | | | |
| 193 | Common Redstart | Phoenicurus phoenicurus | | | | | | | |
| 194 | Black Redstart | Phoenicurus ochruros | | | | | х | | |
| 195 | Blue Rock-Thrush | Monticola solitarius | | | | х | х | | |
| 196 | Whinchat | Saxicola rubetra | | | | | | х | |
| | European Stonechat | Saxicola rubicola | х | х | х | х | х | х | х |
| 200 | Northern Wheatear | Oenanthe oenanthe | | х | х | х | | | |
| 201 | Western Black-eared Wheatear | Oenanthe hispanica | | | | | | | |
| 202 | Black Wheatear | Oenanthe leucura | | | | | | | |
| | Passeriformes: Estrildidae | | | | | | | | |
| | Common Waxbill | Estrilda astrild | | | | | | | |
| 204 | Red Avadavat | Amandava amandava | | | | | | | |
| | Passeriformes: Passeridae | | | | | | | | |
| 205 | House Sparrow | Passer domesticus | х | х | х | х | х | х | х |

| 206 | Spanish Sparrow | Passer hispaniolensis | | | | | | x | |
|-----|-----------------------------|-------------------------------|---|---|---|---|---|---|--|
| | Eurasian Tree Sparrow | Passer montanus | | | | | | | |
| | Rock Sparrow | Petronia petronia | | | | | | | |
| | Passeriformes: Motacillidae | | | | | | | | |
| 209 | Gray Wagtail | Motacilla cinerea | | | | | | | |
| 210 | Western Yellow Wagtail | Motacilla flava | х | х | Х | х | | | |
| 211 | White Wagtail | Motacilla alba | | х | | | | x | |
| 212 | Tawny Pipit | Anthus campestris | | | | | | | |
| 213 | Meadow Pipit | Anthus pratensis | | | | | | | |
| 214 | Tree Pipit | Anthus trivialis | | | | | | | |
| | Passeriformes: Fringillidae | | | | | | | | |
| 215 | Common Chaffinch | Fringilla coelebs | | | | | х | x | |
| 216 | Hawfinch | Coccothraustes coccothraustes | | | | | | | |
| 217 | European Greenfinch | Chloris chloris | х | х | | | | | |
| 218 | Eurasian Linnet | Linaria cannabina | х | | | х | | | |
| 219 | Red Crossbill | Loxia curvirostra | х | х | Х | х | | | |
| 220 | European Goldfinch | Carduelis carduelis | | | | х | х | x | |
| 221 | European Serin | Serinus serinus | | | | | | x | |
| | Passeriformes: Emberizidae | | х | х | Х | х | х | x | |
| 222 | Corn Bunting | Emberiza calandra | | | | х | Х | | |
| 223 | Rock Bunting | Emberiza cia | | | | | | | |
| 224 | Cirl Bunting | Emberiza cirlus | | | | | | | |
| | Passeriformes: Emberizidae | | | | | | | | |
| 225 | Reed Bunting | Emberiza schoeniclus | | | | | | | |